

Exercise-set 7.

1. In a school the students elect several committees. A student can be a member on several committees. Now every committee wants to select a president from its members. Every member of a committee is eligible for presidency, but the committees don't want to share presidents (i.e., one person can be a president of at most one committee). When can this be attained?
2. a) In an Indian tribe there are 7 girls (A,B,...,G) and 6 boys (H,I,...,M) to be married. The chieftain made the table below about the possible couples. Can he find a wife for each of the boys?
 b) G and L don't want to get married anymore. Solve the problem in this case as well.

	A	B	C	D	E	F	G
H		*				*	
I	*	*	*	*	*		*
J		*			*	*	
K	*		*	*		*	*
L					*	*	*
M		*			*		

3. (a) Show that in an r -regular bipartite graph $|A| = |B|$.
 (b) Show that an r -regular bipartite graph satisfies Hall's condition.
 (c) Show that an r -regular bipartite graph has a perfect matching.
4. There are n couples on a hike. They want to distribute $2n$ different chocolate bars among themselves (so that everybody gets one). We know that everybody likes at least n kinds from the $2n$ types, and each kind of chocolate is liked by at least one person in each couple. Prove that the chocolate bars can be distributed in such a way that everybody gets a type that he/she likes.
5. (MT'08) Suppose that the bipartite graph G on $2n$ vertices has n vertices in both of its classes, and that the degree of each vertex of G is more than $\frac{n}{2}$. Show that G contains a perfect matching.
6. (MT+'10) Each class of a bipartite graph contains exactly 5 vertices, and the degree of each vertex is at least 2. Show that this doesn't imply that the graph contains a perfect matching.
7. Let G be a simple, connected bipartite graph with n vertices in both of its vertex classes, and let all the degrees in one class be different. Show that G contains a perfect matching.
8. a) In a bipartite graph on 20 vertices 18 vertices have degree 5, and the degree of the other 2 vertices is 3. Show that the graph contains a perfect matching.
 b) In a bipartite graph on 19 vertices 17 vertices have degree 6, and the degree of the other 2 vertices is 3. Show that the graph contains a matching of 9 edges.
9. (MT'14) Let the two vertex classes of the bipartite graph $G(A, B; E)$ be $A = \{a_1, a_2, \dots, a_8\}$ and $B = \{b_1, b_2, \dots, b_8\}$. For each $1 \leq i, j \leq 8$ let a_i and b_j be adjacent if the entry in the i th row and j th column of the matrix below is 1. Determine whether G contains a perfect matching or not.

$$\begin{pmatrix} 0 & 0 & 1 & 0 & 0 & 1 & 0 & 1 \\ 0 & 1 & 0 & 0 & 0 & 1 & 0 & 1 \\ 1 & 0 & 1 & 1 & 1 & 1 & 0 & 1 \\ 0 & 1 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 1 & 1 & 1 & 1 & 1 \\ 0 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & 0 & 1 & 1 & 0 & 1 & 1 & 1 \\ 0 & 1 & 1 & 0 & 0 & 1 & 0 & 0 \end{pmatrix}$$


10. Somebody selected 32 squares on a (8×8) chessboard in such a way that each row and each column contains exactly four selected squares. Show that we can select 8 out of the 32 squares in such a way that each row and each column contains exactly one of them.
11. Somebody divided a pack of 52 cards into 13 sets of 4 cards each at random. Prove that we can select one card from each set in such a way that we select exactly one of each of the 13 figures.

12. (MT'15) Let the two vertex classes of the bipartite graph $G(A, B; E)$ be $A = \{a_1, a_2, \dots, a_9\}$ and $B = \{b_1, b_2, \dots, b_9\}$. For each $1 \leq i \leq 9$ and $1 \leq j \leq 9$ let a_i and b_j be adjacent if the entry in the i th row and j th column of the matrix below is 1. Determine a maximum matching and a minimum covering set in G .

$$\begin{pmatrix} 1 & 0 & 0 & 1 & 0 & 0 & 1 & 0 & 1 \\ 1 & 0 & 1 & 0 & 1 & 1 & 1 & 0 & 1 \\ 1 & 1 & 0 & 1 & 1 & 0 & 0 & 1 & 1 \\ 1 & 0 & 0 & 1 & 0 & 0 & 1 & 0 & 1 \\ 1 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & 1 \\ 0 & 1 & 1 & 0 & 1 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 & 1 & 0 & 1 \\ 0 & 1 & 0 & 0 & 1 & 1 & 0 & 1 & 0 \\ 1 & 0 & 0 & 1 & 0 & 0 & 1 & 0 & 0 \end{pmatrix}$$

13. (MT'16) Let the two vertex classes of the bipartite graph $G(A, B; E)$ be $A = \{a_1, a_2, \dots, a_{101}\}$ and $B = \{b_1, b_2, \dots, b_{101}\}$. For each $1 \leq i \leq 101$ and $1 \leq j \leq 101$ let a_i and b_j be adjacent if $i \cdot j$ is even. Determine $\nu(G)$, the maximum number of independent edges, $\rho(G)$, the minimum number of covering edges, and give a maximum matching and a minimum covering set of edges in G .

14. Determine a maximum matching in each of the graphs below. Show that they are really maximum!



15. (MT'18) Let the vertex set of the simple graph be $V(G) = \{1, 2, \dots, 10\}$. Let the vertices $x, y \in V(G)$ be adjacent if and only if $|x - y| = 3$ or $|x - y| = 5$. Delete the edge $\{3, 8\}$ from the graph G , and denote the graph obtained by H .

- a) Determine $\nu(H)$, the maximum number of independent edges in H and determine a maximum matching in H .
b) Determine $\alpha(H)$, the maximum number of independent vertices in H and determine a maximum independent set of vertices in H .

16. (MT++'18) Let the two vertex classes of the bipartite graph $G(A, B; E)$ be $A = \{a_1, a_2, \dots, a_8\}$ and $B = \{b_1, b_2, \dots, b_8\}$. For each $1 \leq i, j \leq 8$ let a_i and b_j be adjacent if the entry in the i th row and j th column of the matrix below is 1. Determine $\tau(G)$, the minimum number of covering vertices and $\rho(G)$, the minimum number of covering edges, and give a minimum covering set of vertices and a minimum covering set of edges in G .

$$\begin{pmatrix} 0 & 0 & 1 & 0 & 0 & 1 & 0 & 1 \\ 1 & 1 & 0 & 1 & 0 & 0 & 1 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 & 1 \\ 0 & 1 & 1 & 1 & 1 & 0 & 0 & 1 \\ 0 & 0 & 1 & 0 & 0 & 1 & 0 & 1 \\ 1 & 1 & 0 & 0 & 1 & 1 & 1 & 0 \\ 0 & 0 & 1 & 0 & 0 & 1 & 0 & 0 \end{pmatrix}$$

17. a) The complement of a simple graph G on 100 vertices contains a perfect matching. Show that G can be colored with 50 colors.
b) (MT'10) In a simple graph G on 100 vertices the degree of each vertex is 55. Determine the chromatic number of G if we know that the complement of it is a bipartite graph.