










Exercise-set 10.


1. Determine the value of a maximum flow in the networks below, and prove that they are maximal.




2. Determine the capacity of the cut between S, A, G and the rest of the vertices in the network below and determine whether this cut is minimum or not (between S and T).




3. (MT'19) Determine a maximum flow from S to T and a minimum cut in the network below.



4. (MT+'19) Determine a maximum flow in the network below (from S to T).



5. (MT++'19) Determine a minimum S, T -cut in the network below.



6. In a network the capacity of the edge e is 3, the capacities of all the other edges are 2, and we know that the value of the maximum flow f is an odd integer. Is it true then that $f(e) = 3$?
7. In a network with rational capacities the value of the maximum flow is m . Is it true then that for each value $0 \leq x \leq m$ there is a flow of value x in this network?
8. Let a directed graph G , the vertex $s \in V(G)$ and the capacity function $c : E(G) \rightarrow \mathbf{R}^+$ be given. For all $v \in V(G)$, $v \neq s$ let $m(v)$ denote the value of the maximum flow from s to v . Suppose that for some vertex $t \in V(G)$, $m(t) = 100$ holds, but for every vertex $v \in V(G)$, $v \neq s, t$, $m(v) > 100$. Show that in this case the total capacity of the edges arriving into t is 100.
9. Let a directed graph G and the capacity function $c : E(G) \rightarrow \mathbf{R}^+$ be given. Suppose that for the vertices s, t and $w \in V(G)$ there is a flow of value 100 from s to t and also from t to w . Prove that there exists a flow of value 100 from s to w as well.
10. In a network all the capacities are integers. Which of the statements below holds always?
- Each maximum flow in the network has an integer value.
 - There is a maximum flow in the network which takes an integer value on each edge.
 - Each maximum flow in the network takes an integer value on each edge.
 - What about the same questions if we substitute „integer” for „even number” everywhere?
11. Decide whether the following statements are true or not.
- Every network contains an edge e such that if we decrease its capacity by ε (where $0 < \varepsilon \leq c(e)$) then the value of the maximum flow decreases by ε .
 - Every network contains an edge e such that if we increase its capacity by a positive ε then the value of the maximum flow increases by ε .
 - If one of the the statements above doesn't hold always, then what is the condition for a network to satisfy it? Give an algorithm to decide whether a network contains such an edge or not.